



DESIGN REPORT OF SAFETY DATA SHEET

No.: 220100320418261E

Date: Jul.25,2022

Name of the sample	Toluene		
Applicant	ZHENGZHOU BATONG INDUSTRIAL CO.,LTD.		
Supplier	ZHENGZHOU BATONG INDUSTRIAL CO.,LTD.		
Composition of the sample	Toluene: 99.9%		
Warranty of Design	GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS (GHS) Ninth revised edition		
Design Result of SDS please see next page.			
Designer	孙越越	Approver	<p><i>For and on behalf of</i> CCIC JIANGSU CO., LTD. 中国检验认证集团江苏有限公司</p> <p>王珍</p> <p>4 授权签字人 Authorized Signature (s)</p>



Notes: This SDS is valid before the implementation of the Tenth revised edition GHS.



Toluene

SAFETY DATA SHEET

No.: 220100320418261E

Warranty of Design: GHS (Ninth Revised Edition)

SDS

Date: Jul.25.2022

Section 1 Product and Company Identification

> Product Identifier

Product Name	Toluene
Synonyms	-
CAS No.	108-88-3
EC No.	203-625-9
Molecular Formula	C ₇ H ₈

> Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Relevant Identified Uses	Please consult manufacturer.
Uses Advised Against	Please consult manufacturer.

> Details of the Supplier of the Safety Data Sheet

Applicant Name	ZHENGZHOU BATONG INDUSTRIAL CO.,LTD.
Application Address	GUAN DI MIAO Village, YU LONG Town, XING YANG City
Applicant Post Code	450100
Applicant Telephone	+86-371-68538712
Applicant Fax	—
Applicant E-mail	Sales@batongchem.com
Supplier Name	ZHENGZHOU BATONG INDUSTRIAL CO.,LTD.
Supplier Address	GUAN DI MIAO Village, YU LONG Town, XING YANG City
Supplier Post Code	450100
Supplier Telephone	+86-371-68538712
Supplier Fax	—
Supplier E-mail	Sales@batongchem.com

> Emergency Phone Number

Emergency Phone Number	+86-371-68538723
------------------------	------------------

Section 2 Hazards Identification

Hazard class and label elements of the product according to GHS (the ninth revised edition):

> GHS Hazard Class

Flammable Liquids	Category 2
-------------------	------------



Toluene

SAFETY DATA SHEET

No.: 220100320418261E

Warranty of Design: GHS (Ninth Revised Edition)

SDS

Date: Jul.25,2022

Aspiration Hazard	Category 1
Skin Corrosion/Irritation Specific Target Organ Toxicity (Single Exposure): Narcotic Effects	Category 2
Reproductive Toxicity Specific Target Organ Toxicity (Repeated Exposure)	Category 3
Hazardous To The Aquatic Environment – Short-Term (Acute) Hazard	Category 2
Hazardous To The Aquatic Environment – Long-Term (Chronic) Hazard	Category 3

> GHS Label Elements

Pictogram



Signal Word

Danger

> Hazard Statements

H225	Highly flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H336	May cause drowsiness or dizziness
H361	Suspected of damaging fertility or the unborn child
H373	May cause damage to organs through prolonged or repeated exposure
H401	Toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects

> Precautionary Statements

Prevention

P203	Obtain,read and follow all safety instructions before use.
P210	Keep away from heat, hot surfaces, sparks,open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.



Toluene

SAFETY DATA SHEET

No.: 220100320418261E

Warranty of Design: GHS (Ninth Revised Edition)

SDS

Date: Jul.25,2022

P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash hands and other contact area thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
Response	
P318	IF exposed or concerned, get medical advice.
P319	Get medical help if you feel unwell.
P321	Specific treatment (see measures on this label).
P331	Do not induce vomiting.
P301+P316	IF SWALLOWED: Get emergency medical help immediately.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P332+P317	If skin irritation occurs: Get medical help.
P362+P364	Take off contaminated clothing and wash it before reuse.
P370+P378	In case of fire: Use suitable extinguishing medium to extinguish.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water [or shower].
Storage	
P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
Disposal	
P501	Dispose of contents/container in accordance with local/regional/national/ international regulations.

Section 3 Composition/Information on Ingredients

Component	CAS No.	EC No.	Concentration (weight percent, %)
Toluene	108-88-3	203-625-9	99.9

Section 4 First Aid Measures



Toluene

SAFETY DATA SHEET

No.: 220100320418261E

Warranty of Design: GHS (Ninth Revised Edition)

SDS

Date: Jul.25,2022

> Description of First Aid Measures

General Advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Skin Contact	Take off contaminated clothing and shoes immediately. Wash off with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Ingestion	Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.
Inhalation	Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately.
Protecting of First-aiders	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

> Most Important Symptoms and Effects, both Acute and Delayed

- 1 Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

> Indication of Any Immediate Medical Attention and Special Treatment Needed

- 1 Treat symptomatically.
- 2 Symptoms may be delayed.

Section 5 Fire Fighting Measures

> Extinguishing Media

Suitable Extinguishing Media	Dry chemical, carbon dioxide or alcohol-resistant foam.
Unsuitable Extinguishing Media	Do not use a solid water stream as it may scatter or spread fire.

> Specific Hazards Arising from the Substance or Mixture

- 1 Will form explosive mixtures with air.
- 2 Fire exposed containers may vent contents through pressure relief valves thereby increasing fire intensity and/or vapour concentration.
- 3 Vapours may travel to source of ignition and flash back.
- 4 Liquid and vapour are flammable.
- 5 Containers may explode when heated.
- 6 Fire exposed containers may vent contents through pressure relief valves.
- 7 May expansion or decompose explosively when heated or involved in fire.

> Advice for Firefighters

- 1 As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.



Toluene

SAFETY DATA SHEET

No.: 220100320418261E

Warranty of Design: GHS (Ninth Revised Edition)

SDS

Date: Jul.25,2022

- 2 Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground water system.

Section 6 Accidental Release Measure

> Personal Precautions, Protective Equipment and Emergency Procedures

- 1 Avoid breathing vapors and contacting with skin and eye.
- 2 Beware of vapours accumulating to form explosive concentrations.
- 3 Vapours can accumulate in low areas.
- 4 Emergency personnel wear positive pressure self-contained breathing apparatus. Wear protective and anti-static clothing. Wear chemical impermeable gloves.
- 5 Ensure adequate ventilation. Remove all sources of ignition.
- 6 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
- 7 Use personal protective equipment. Avoid breathing vapours, mist, gas or dust.

> Environmental Precautions

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

> Methods and Materials for Containment and Cleaning Up

- 1 Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
- 2 Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
- 3 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Section 7 Handling and Storage

> Precautions for Handling

- 1 Avoid inhalation of vapors.
- 2 Use only non-sparking tools.
- 3 To prevent fire caused by electrostatic discharge steam, equipment on all metal parts should be grounded.
- 4 Use explosion proof equipment.
- 5 Handling is performed in a well ventilated place.
- 6 Wear suitable protective equipment.
- 7 Avoid contact with skin and eyes.
- 8 Keep away from heat/sparks/open flames/ hot surfaces.
- 9 Take precautionary measures against static discharges.



Toluene

SAFETY DATA SHEET

No.: 220100320418261E

Warranty of Design: GHS (Ninth Revised Edition)

SDS

Date: Jul.25.2022

> Precautions for Storage

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/ hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.

Section 8 Exposure Controls/Personal Protection

> Control Parameters

Occupational Exposure Limit Values

Component	Country/Region	Limit Value - Eight Hours		Limit Value - Short Term	
		ppm	mg/m ³	ppm	mg/m ³
Toluene 108-88-3	USA - OSHA	200	-	300	-
	South Korea	50	188	150	560
	Ireland	50	192	100	384
	Germany (AGS)	50	190	200	760
	Denmark	25	94	50	188
	Australia	50	191	150	574

Biological Limit Values

No information available

Monitoring Methods

- 1 EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.
- 2 GBZ/T 160 Determination of toxic substances in workplace air(Series effective standard)and GBZ/T 300 Determination of toxic substances in workplace air(Series standard).

> Engineering Controls

- 1 Ensure adequate ventilation, especially in confined areas.
- 2 Ensure that eyewash stations and safety showers are close to the workstation location.
- 3 Use explosion-proof electrical/ventilating/lighting/equipment.
- 4 Set up emergency exit and necessary risk-elimination area.

> Personal Protection Equipment

Eye Protection	Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US).
Hand Protection	Wear protective gloves (such as butyl rubber) , passing the tests according to EN 374(EU),US F739 or AS/NZS 2161.1 standard.
Respiratory protection	If exposure limits are exceeded or if irritation or other symptoms are experienced, use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges.
Skin and Body	Wear fire/flame resistant/retardant clothing and antistatic boots.



Toluene

SAFETY DATA SHEET

No.: 220100320418261E

Warranty of Design: GHS (Ninth Revised Edition)

SDS

Date: Jul.25,2022

Protection

Section 9 Physical and Chemical Properties

Appearance: Colorless liquid	Odor: No information available
Odor Threshold: No information available	pH: No information available
Melting Point/Freezing Point (°C): -95	Initial Boiling Point and Boiling Range (°C): 111
Flash Point (°C)(Closed Cup): 4	Evaporation Rate: No information available
Flammability: Not applicable	Upper/lower explosive limits[% (v/v)]: Upper limit: 7.1; Lower limit: 1.1
Vapor Pressure (KPa): 3.8	Relative Vapour Density(Air=1): 3.1
Relative Density(Water=1): 0.87	Solubility: Insoluble in water
n-Octanol/Water Partition Coefficient: 2.69	Auto-Ignition Temperature(°C): 480
Decomposition Temperature (°C): No information available	Kinematic Viscosity (mm²/s): No information available
Particle characteristics: Not applicable	

Section 10 Stability and Reactivity

Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.
Chemical Stability	Stable under proper operation and storage conditions.
Possibility of Hazardous Reactions	In contact with halides may cause an active reaction.
Conditions to Avoid	Incompatible materials, heat, flame and spark.
Incompatible Materials	Halides, Oxidantss and halogen.
Hazardous Decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11 Toxicological Information

> Acute Toxicity

Component	CAS No.	LD ₅₀ (Oral)	LD ₅₀ (Dermal)	LC ₅₀ (Inhalation, 4h)
Toluene	108-88-3	636mg/kg(Rat)	No information available	49mg/L(Rat)



Toluene

SAFETY DATA SHEET

No.: 220100320418261E

Warranty of Design: GHS (Ninth Revised Edition)

SDS

Date: Jul.25,2022

> Skin Corrosion/Irritation

Causes skin irritation(Category 2)(Toluene)

> Serious Eye Damage/Irritation

No information available

> Skin Sensitization

No information available

> Respiratory Sensitization

No information available

> Germ Cell Mutagenicity

No information available

> Carcinogenicity

ID	CAS No.	Component	IARC	NTP
1	108-88-3	Toluene	Category 3	Not Listed

> Reproductive Toxicity

Suspected of damaging fertility or the unborn child(Category 2)(Toluene)

> Reproductive Toxicity (Additional)

No information available

> STOT-Single Exposure

May cause drowsiness or dizziness(Category 3)(Toluene)

> STOT-Repeated Exposure

May cause damage to organs through prolonged or repeated exposure(Category 2)(Toluene)

> Aspiration Hazard

May be fatal if swallowed and enters airways(Category 1)(Toluene)

Section 12 Ecological Information

> Acute Aquatic Toxicity

Component	CAS No.	Fish	Crustaceans	Algae



Toluene

SAFETY DATA SHEET

No.: 220100320418261E

Warranty of Design: GHS (Ninth Revised Edition)

SDS

Date: Jul.25,2022

Toluene	108-88-3	LC ₅₀ : 25mg/L (96h)(Fish)	EC ₅₀ : 4.1mg/L (48h)	ErC ₅₀ : 29mg/L (72h)
---------	----------	---------------------------------------	----------------------------------	----------------------------------

> Chronic Aquatic Toxicity

Component	CAS No.	Fish	Crustaceans	Algae
Toluene	108-88-3	No information available	NOEC: 1.2mg/L	NOEC: 9.1mg/L

> Others

Persistence and Degradability	No information available
Bioaccumulative Potential	No information available
Mobility in Soil	No information available
Results of PBT and vPvB Assessment	Toluene does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.

Section 13 Disposal Considerations

Waste Chemicals Contaminated Packaging Disposal Recommendations	Before disposal should refer to the relevant national and local laws and regulation. Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible. Refer to Waste chemicals and Contaminated packaging.
------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Section 14 Transport Information

Transporting Label	
Marine pollutant	No
UN Number	1294
UN Proper Shipping Name	TOLUENE
Transport Hazard Class	3
Transport Subsidiary Hazard Class	NONE
Packing Group	II

Section 15 Regulatory Information



Toluene

SAFETY DATA SHEET

No.: 220100320418261E

Warranty of Design: GHS (Ninth Revised Edition)

SDS

Date: Jul.25,2022

> International Chemical Inventory

Component	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AICS	ENCS
Toluene	√	√	√	√	√	√	√	√	√

- [EINECS] European Inventory of Existing Commercial Chemical Substances.
- [TSCA] United States Toxic Substances Control Act Inventory.
- [DSL] Canadian Domestic Substances List.
- [IECSC] China Inventory of Existing Chemical Substances.
- [NZIoC] New Zealand Inventory of Chemicals.
- [PICCS] Philippines Inventory of Chemicals and Chemical Substances.
- [KECI] Existing and Evaluated Chemical Substances.
- [AICS] Australia Inventory of Chemical Substances.
- [ENCS] Existing And New Chemical Substances.

Note

"√" Indicates that the substance included in the regulations

"x" That no data or included in the regulations

Section 16 Additional Information

Creation Date Jul.25,2022
Revision Date Jul.25,2022
Reason for Revision -

> Disclaimer

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 9th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.



Toluene

SAFETY DATA SHEET

No.: 220100320418261E

Warranty of Design: GHS (Ninth Revised Edition)

SDS

Date: Jul.25,2022

Terms of the Using of the Report



1. The report is issued by CCIC according to the information of the chemicals and the information of its shipping provided by the applicant (shipper or his agent).
2. According to the demand of this SDS, CCIC requires the applicant to provide true and exact sample and data.
3. Information from applicant is the key of this SDS, so CCIC will not respond for the wrong of applicant.
4. Unless otherwise stated, the results shown in this test report refer only to the sample(s) tested.
5. This report will be effective only after it is signed by the inspector, approver and stamped by CCIC.
6. CCIC guarantees the objectivity and fairness of this report, and carries out confidentiality obligations on business secrets such as business information, technical documents and so on.
7. The partly duplicating of this report is prohibited without the written approver of CCIC.
8. The report is invalid when anything of the following happens-illegal transfer, embezzlement, imposture, modification or tampering in any media form.